



**EASY-FILL
PAVER JOINTING DEVICE EF-H**

EASY-FILL PAVER JOINTING DEVICE EF-H

High physical relieve up to 80% less pushing force required!

An enormously important part of paver installation is the filling of the joints with sand. Only when the joints are filled completely and durable with sand the pavement is stable for a long time. Functional loads are then distributed to a bigger surface, then the pavement is durable and stable for a long time.

► The joints are filled by sweeping in dry sand or by flashing in wet sand with water. This job is done thoroughly and quickly with the paver jointing device Easy-Fill from Probst. With the wide working width of 1,17 m (46") the EF-H reaches a big area very efficiently. The 2 rotating brushes are overlapping and they are driven by a powerful 5,5 HorsePower benzene engine. The rotating brushes are creating a forward drive at the same time. Therefore the need for pushing action is reduced by about 80 %. Usually one single pass is sufficient to fill the joints completely.



► **Perfect penetration of the joints**
Resanding at a later time is not necessary anymore.

► **Output figures: 50 sqm in less than 15 minutes!**

The Easy-Fill fulfils all requirements with respect to economical and reliable measure of working, easy operation and low wear durability.



„Easy simple and quick“



Compare carefully: You will find no better Easy-Fill – not even under another name

Careful water dosing to achieve best results

▶ When flushing the sand with water into the joints it is very important to be able to dose the water more sensibly. Therefore the EF-H from Probst is equipped as standard with a water tap. With this water tap the amount of water can be controlled easily.



Another advantage of the water tap: The water flow can be completely stopped at any time in order to not waste water when then process has to be stopped for any reason. The operator does not have to walk to the water source to stop the water flow. As a matter of fact too much water, which penetrates the ground, can make the pavement instable for a period of time.

Efficient and economical

With the innovative Easy-Fill the sand sweeping and sand flushing can be done efficiently, simply and effortlessly.



The bristles have a wear reserve of 50 mm. This means a long lifetime for the brushes and lowest maintenance.

Robust and easy to use

▶ The Easy-Fill is a very high quality mechanical engineered product, designed for reliable function, durability and efficient workforce-saving handling. The forward-drive minimizes the force to push the device by up to 80 %. The adjustable handle adapts to operators with different body height. The hood is rounded at the front in order to get easily access also into all corners.

▶ Using the quick adjust spindle the ideal brush height can be set stepless in order to minimize the wear of the brushes.



Overload protection saves trouble


▶ It can not be avoided that sometimes a paver or any other kind of debris will get in between the rotation brush and blocks the movement. In order to avoid any damage on both brushes and drives the EF-H disposes of an overload protection.

Multiple profit

In no time the EF-H brushes can be exchanged for steel brushes. With this configuration heavy dirt or moss can be cleaned off older pavement surfaces.



Additional information and leaflets are available from your construction equipment dealer or directly from Probst.



Choosing the right bristle is very important

▶ Before doing the joint filling the sand has to be distributed roughly on the paver surface. Some bristles are not stiff enough to penetrate heaps of sand, which occurs when the distribution of sand is not perfectly done. This is not the case on the EF-H from Probst, because Probst has chosen the bristles very carefully and an optimum relation between hardness and stiffness and flexibility of the bristles has been achieved.

Advantage of the special brush technique for the user is significant. The brushes never loose the contact to the surface of the pavers, therefore the best possible efficiency is guaranteed.

Standard features:
Benzene motor Honda GXV 160. 4 kW (5,5 HP) at 3.600 Rpm
Working width: 1.170 mm
Overall height in working position: 1.050 mm, depth 800 mm, dead weight 89 kg
Foldable handle for easy transportation: (LxDxH) 800 x 1.170 x 635 mm



Needs no external power supply with petrol motor

**EASY-CLEAN
PAVER CLEANING DEVICE EC 60**

EASY-CLEAN PAVER CLEANING DEVICE EC 60

Fast, Proper and Professional Cleaning

Everybody knows that pavements with pavers and slabs after a short time often look unsightly with dirty surfaces and mossy joints. In order to let them appear in their primary brilliance they have been cleaned as yet with the usual high pressure washers equipped with a spray lance. The water jet is thereby often deflected at joints and pollutes walls and people in an area of several meters. Thus the operator has to wear special protective clothing and the cleaning of the surrounding area afterwards is annoying and extensive.

Indeed, the industry is providing surface cleaners with protective covers. However they have mostly a small working width and they are laborious to operate.

The solution is a high pressure cleaner with splash guard, the paver cleaning device Easy-Clean EC 60 from Probst. It holds many profitable advantages for You.



Cleans up to 5 Times More Surface per Time

▶ compared to lance-equipped pressure washers. Two fast rotating special nozzles cope easily with that. Already one crossing is sufficient to clean a width of 60 cm (23 1/2") intensively and absolutely evenly. It is as simple as lawn mowing but without disposing the grass!



"As simple as lawn mowing"

NEW: Paver Cleaning Device EASY-CLEAN EC 60

Playing Easily Cleaning for Everyone

New Looking Pavement

▶ Surface and joints, as well as colour and structure are cleaned in one go. Due to their even cleaning the two fast rotating special nozzles avoid dirt stripes, which are well known from lance-equipped high pressure cleaners.

Independent from Electricity Supply

▶ A powerful and reliable gasoline engine provides you with the full liberty of action. The search for a power socket can therefore be omitted.

Reduced Preparation Time

▶ The excellent splash guard saves the polluting of the surrounding area and clothing.

Save Cleaning of Joints

▶ Sediments and moss are only cleaned up to a certain low depth. Nevertheless highly stressed, travel on areas should get some additional filling afterwards.

High Safety for Operator

▶ Due to a covering of the treated surface. The splash guard keeps everything under cover and minimises risks of injury.



Compact Transport Size

▶ A foldable handle reduces the size to car boot suitable dimensions. When folded it becomes a practical carrying handle.

With this transport bracket the handle alters to a carrying handle.

Stainless steel splash guard for longevity.

Four large-sized wheels under the splash guard allow easy handling even on ecological pavement.

Extensive Accessories

▶ Set: Spray Lance SL 8 with Chemical Kit CK, Dirt Drill DF and Sand Blasting Kit SSK complement the Easy-Clean to a versatilely applicable cleaning system.



Dirt is Flushed Aside

▶ An integrated flush guide forwards light dirt at declines aside. Big residues are washed away with a normal water hose.


Improved Water Permeability

▶ Moss in the joints sucks water and reduces leaching. Cleaned joints allow more water to pass. This results in less stress of the sewerage system during rain.

Easy Moving of Machine

▶ Four large-sized wheels under the splash guard run also on slightly uneven surfaces.

The powerful and reliable petrol engine as drive for the high pressure pump is independent from the power supply system.



Long Life Splash Guard

▶ made of stainless steel protects against rust and stands for stability.

Cleaning of Equipment at Site

▶ with the Easy-Clean. The lightweight, electricity supply independent and mobile high pressure cleaner in combination with the spray lance SL 8 or the dirt drill DF copes also with this job.

Technical Data

Working Width [mm (in)]	600 (23½")
Dead Weight [kg (lbs)]	50 (110)
Drive Power [kW (HP)]	4 (5.5)
Pumpage [bar, l/min]	Max. 150/13
Transport Size [mm (in)]	800x600x500 (31½" x 23½" x 20")
Order Number	5170.0004

Accessories

Set: Spray Lance SL8 with 8 m hose with	
Chemical Kit CK	2611.0032
Dirt Drill DF	2611.0026
Sand Blasting Kit SSK (0,1 - 0,5 mm grain quartz sand)	2611.0033

Further information and brochures can be obtained from your competent construction machinery dealer or directly from us.